

E. 85TH ST.
80' WIDE

STAINLESS STEEL / GLASS
- SATIN FINISHED MARGEE
- G.C. PROVIDES SHOP DWS.
FOR ARCHITECT'S APPROVAL.

NOTE:

- 1 ALL SELECTION OF INTERIOR FINISH AND CLOSET/STO. DOOR TYPES ARE THE RESPONSIBILITY BETWEEN OWNER AND GEN. CONTRACTOR. CONTRACTOR SHALL SUBMIT SAMPLES FOR OWNERS APPROVAL.
- 2 ALL STAIR RISERS TO BE MAX OF 7 3/4" AND TREAD TO BE MIN OF 9 1/2" TYPICAL @ ALL STAIRCASE
- 3 PROVIDE SOUND ATTENUATING BLANKET BETWEEN ALL AP'T. FIRE SEPARATION WALLS AND CORRIDOR WALLS.
- 4 PROPOSED BUILDING TO BE FULLY SPRINKLERED THROUGHOUT.
- 5 SEE DRAWING A-001 FOR LINTEL SCHEDULE FOR ALL MASONRY OPENING.
- 6 ALL DWELLING UNITS ARE HANDICAPPED ADAPTABLE
- 7 TYPICAL TERRACE ASSEMBLY: 2" CONC. #1 CONCRETE PAVERS OVER ADJUSTABLE FEDESTAL SINGLE PLY ROOFING SYSTEM OVER TAPERED RIGID INSULATION (SLOPE TO TERRACE DRAIN)
- 8 FOR ADAPTABLE KITCHEN DETAILS SEE A-002
- 9 REFUSE ROOM DOOR TO BE FIRE-RATED DOOR W/ AUTOMATIC DOOR OPENER+ OCCUPANCY SENSOR TO MAINTAIN DOOR IN OPEN POSITION WHILE ROOM IS OCCUPIED. POSITIONING REFUSE ROOM IS TO CLOSED POSITION. REFUSE ROOM IS TO BE SHUT OFF IN CASE OF POWER FAILURE.
- 10 HANDICAPPED CARBON MONOXIDE / SMOKE DETECTORS COMBO SHALL COMPLY WITH RS 17-13 SHALL BE INSTALLED IN ACCORDANCE WITH RS 17-14.

AVE. K
80' WIDE

2ND FL. PLAN

3/16" = 1'-0"


THESE DRAWINGS ARE FOR THE EXPRESS USE OF T.F. CUSANELLI ARCHITECTS & PLANNERS P.C. NO REUSE OR REPRODUCTION PERMITTED BY LAW.

NO.	ISSUES	TO WHOM	DATE

DRAWN BY	JOB NO.
DT	0802
DATE	3/20/06
SCALE	AS NOTED

PROPOSED:
NEW MIXED USE BLDG.

8413 AVE. K
BROOKLYN, NY



T.F. CUSANELLI & PARTNERS, ARCHITECTS

86-00 LONG ISLAND EXPRESSWAY
MASPETH, NEW YORK 11378
TEL: (718) 457-1151
FAX: (718) 335-5364

DRWG. NO.	A-12
DRWG. TITLE	2ND FL. PLAN